ELECTRONIC DISPLAY MODULE HAVING A FOUR-POINT LATCHING SYSTEM FOR INCORPORATION INTO AN ELECTRONIC SIGN AND PROCESS

PARTS LIST

10	electronic display module having a four- point latching system	39	mounting panel assembly
		39a-b	vertical plates
12	main housing	39c-d	horizontal plates
13	peripheral wall	40a-e	louver panel attachment pins
14	driver board		accaciment pins
16	louver panel	41	tab
	<u>-</u>	42a-d	drive board
18	LED display panel		attachment pins
20a-d	latch mechanisms	43	alignment hole
22	panel	44	seal
24a-d	latch housings	46a-e	body holes
26	latch	48a-n	connectors
28	outboard latch	50a-n	connectors
		52	access hole
30	inboard latch arm	54	access hole
32	actuator arm	56 58	access hole access hole
32	actuator arm	56	access note
34	actuator gear	60a-d	body holes
36	gear support housing	62	body hole
		64	body hole
38a-d	locator posts		(latch housing)

66	body hole		
		85	slot
68a-d	cutouts	86	slot
		87	slot
70	latch lock plate	88	slot
72	linkage	90	recess
73	rounded cross- member pivot bar	92	slot
		94	pivot pin
74	attachment fixture	95	pivot pin
		96	outboard post
74a	central	98	inboard post
	attachment		-
	fixture	100	outboard sidewall
		102	inboard sidewall
74b	outboard		
	attachment	104	guide body
	fixture		3
		106a-b	top walls
74c	inboard	4.05	
	attachment	107	recess
	fixture	100	3
		108	louver pin receptor
75	link		post
76	interlatch space	109	planar surface
, 0	_	103	prunur burruce
77	link	110	outboard slot
78	radiused curve	112	inboard slot
80	radiused curve	113	opening
81	pivot pin	114	main panel
82	planar bottom	116	cutout
	surface		
		118	cavity
83	pivot pin		
		120	outboard retainer
84	planar bottom		bar
	surface		

122	inboard retainer bar	159	receptacle hole
		160	support hole
124	outboard configured cavity	162 164	panel panel
126	inboard configured cavity	166	retainer catch
127	outboard slot	168	retainer catch
128	cutout	170	outboard slot
129	inboard slot	172	inboard slot
130 132	retainer catch retainer catch	174a-n	support struts
134	retainer catch	176	longitudinal travel
136	retainer catch		path
138	actuator arm main body	178	first axis of pivotal rotation
140	attachment fixture	180	longitudinal travel path
142	actuator arm gear receptor	182	second axis of pivotal rotation
144a-n	gear receptor cavities		
146	pivot hole		
150	gear		
152	shaft		
154	support hole		
156	central panel		
158	shaft		